

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	274	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 15:31
S2	61	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and (storag\$3 near3 (media or content \$1 or multi \$1media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 15:32
S3	551258	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and (storag\$3 near3 (media or content \$1 or multi \$1media)) with	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 15:34

		associat\$3 (tim\$3 near\$3 (rang\$3 or frame or duration \$1))				
S4	1	((tim\$3 near\$3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near\$3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and ((storag\$3 near\$3 (media or content \$1 or multi \$1media)) with associat\$3 with (tim\$3 near\$3 (rang\$3 or frame or duration\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 15:35
S5	2	((tim\$3 near\$3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near\$3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and ((storag\$3 near\$3 (media or content \$1 or multi \$1media)) with (link\$3 or point\$3 or associat\$3) with (tim\$3 near\$3 (rang\$3 or frame or duration\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 15:37

S6	9	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and (storag\$3 near3 (media or content \$1 or multi \$1media)) and encrypt\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 19:58
S7	2	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and (storag\$3 near3 (media or content \$1 or multi \$1media)) and (encrypted with data with stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 19:59
S8	0	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and (storag\$3 near3 (media or content \$1 or multi \$1media)) and (historical with	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 20:18

S9	1	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and (storag\$3 near3 (media or content \$1 or multi \$1media)) and (histor\$5 with data with stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 20:18
S10	8479	707/104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 22:46
S11	61	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and (storag\$3 near3 (media or content \$1 or multi \$1media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 22:46
S12	1	S10 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/01 22:46

S13	2	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1product\$5 or record\$3 or duplica\$4 or generat\$3 or creat\$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and (storag\$3 near3 (media or content\$1 or multi\$1media)) and (disabl\$3 with (re\$1product\$3 or replicat\$3 or copy\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:11
S14	274	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1product\$5 or record\$3 or duplica\$4 or generat\$3 or creat\$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:36
S15	61	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1product\$5 or record\$3 or duplica\$4 or generat\$3 or creat\$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and (storag\$3 near3 (media or content\$1 or multi\$1media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:36

S16	573898	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and (storag\$3 near3 (media or content \$1 or multi \$1media)) with associat\$3 (tim\$3 near3 (rang\$3 or frame or duration \$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:36
S17	1	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and ((storag\$3 near3 (media or content \$1 or multi \$1media)) with associat\$3 with (tim\$3 near3 (rang\$3 or frame or duration\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:36

S18	2	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and ((storag\$3 near3 (media or content \$1 or multi \$1media)) with (link\$3 or point\$3 or associat\$3) with (tim\$3 near3 (rang\$3 or frame or duration\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:36
S19	9	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and (storag\$3 near3 (media or content \$1 or multi \$1media)) and encrypt\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:36
S20	2	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and (storag\$3 near3 (media or content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:36

		\$1 or multi \$1media)) and (encrypted with data with stor\$3)				
S21	0	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and (storag\$3 near3 (media or content \$1 or multi \$1media)) and (historical with data with stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:36
S22	1	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and (storag\$3 near3 (media or content \$1 or multi \$1media)) and (histor\$5 with data with stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:36
S23	9335	707/104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:36



S24	61	((tim\$3 near3 (rang\$3 or frame or duration\$1)) with ((re\$1produc \$5 or record\$3 or duplica\$4 or generat\$3 or creat \$3) near3 (media or content\$1 or multi\$1media))) and @pd < "20030630" and (storag\$3 near3 (media or content \$1 or multi \$1media))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:36
S25	1	S23 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:36
S26	0	("kuen.xp.andlu.xp.").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:53
S27	0	("kuen.xp.andlu.xp.").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:54
S28	104	kuen.xp.andlu.xp.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:54
S29	104	kuen.xp.andlu.xp. and \$.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:56

S30	104	kuen.xp.andlu.xp. and \$8.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:56
S31	104	kuen.xp.andlu.xp. and \$?xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:57
S32	1	kuen.xp. and lu. xp. and kim\$6.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 12:58
S33	6	S30 and ?.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 13:00
S34	233	kuen.xa. or kuen. xp.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/12 13:01

**EAST Search History (Interference)**

&lt; This search history is empty &gt;

**7/ 12/ 2009 8:36:46 PM****C:\Documents and Settings\klu\My Documents\EAST\Workspaces\ 10525664.wsp**